



Address:
JAMBU PERSHAD & SONS
6275/22 Nicholson Road,
Ambala Cantt, Haryana,
INDIA
Pin: 133001

Email:
sales@japson.com
japsonambala@yahoo.com

Website:
www.japson.com
Phone:
+91-171-4006897

Analytical Balance 220g/0.1mg

Product Image






Description

MODEL	MAB220LCD
Max. (Capacity)	220 g
Readability (d)	0.0001 g
Repeatability (±)	0.2 mg
Linearity (±)	0.4 mg
Min. (Capacity)	10 mg
Verification Scale Intervals (e)	1 mg
Calibration	Motorized Internal Calibration
Class	Class I
Display	LCD with back light
Response Time	4 - 6 Sec
Pan Size (mm)	90 mm Ø
Tare Range	Full
Operating Temperature	+15 °C to +30°C
Sensitivity Drift ±	2ppm / °C
Density	Function Available
Data Output Mode Selection	Command & Continuous Output
Key Sound	Yes
Weighing Chamber Height	210 mm
Unit	g, oz, ct, lb, ozt, dwt, GN,
Application Mode	PCS,%, Weighing, Animal Weighing, Check Weighing, Density, Statistics Weighing
Baud rate Options	1200, 2400, 4800, 9600
Interface	RS232C
Power Supply	AC 220V / 50-60 Hz
Dimension (LxWxH) mm	580 x 385 x 480
Weight	13 Kg

SPECIFICATIONS

* Density Determination Kit for Solid & Liquid Sample (Optional)

-  Electro Magnetic Force Compensation
-  Statistic Weighing
-  Animal Weighing
-  Check Weighing
-  White Back Light LCD display
-  Percentage Weighing
-  Multiple Weighing Units
-  Density Determination Function
-  RS232C Interface
-  Counting Weighing mode
-  Temperature
-  Underhook Weighing
-  Calibration with Internal weight
-  Time

Standard Accessories

- Instrument
- Pan
- Pan support
- Draft ring
- Dust guard
- Cleaning cloth
- Power Cord
- User manual



Disclaimer

The Products details given on this page are indicative in nature and JAPSON reserves the right to change them without prior notice. Buyer is also requested to re-check the specifications and other features of product at the time of order as product development is a continuous process and minor modifications may be made to design based on latest availability, process and design.