



**Address:**  
**JAMBU PERSHAD & SONS**  
6275/22 Nicholson Road,  
Ambala Cantt, Haryana,  
INDIA  
Pin: 133001

**Email:**  
sales@japson.com  
japsonambala@yahoo.com

**Website:**  
www.japson.com  
**Phone:**  
+91-171-4006897

---

# Semi Micro Balance 50/220g - 0.01/0.1mg

## Product Image

---










## Description

---

<b>SPECIFICATIONS</b>	<b>MODEL</b>	<b>MAB250</b>
	Max. ( Capacity )	50 / 220g
	Readability ( d )	0.00001 / 0.0001 g
	Repeatability ( ± )	0.02 / 0.2 mg
	Linearity ( ± )	0.04 mg
	Min. (Capacity)	1 mg
	Verification Scale Intervals (e)	1 mg
	Calibration	Motorized Internal Calibration
	Class	Class I
	Display	LCD with back light
	Response Time	4 - 6 Sec
	Pan Size (mm)	90 mm Ø
	Tare Range	Full
	Operating Temperature	+15 °C to +30°C
	Sensitivity Drift ±	2ppm / °C
	Density	Function Available
	Data Output Mode Selection	Command & Continuous Output
	Key Sound	Yes
	Weighing Chamber Height	210 mm
	Unit	g, oz, ct, lb, ozt, dwt, GN,
	Application Mode	PCS,%, Weighing, Animal Weighing, Check Weighing, Density, Statistics Weighing
	Baud rate Options	1200, 2400, 4800, 9600
	Interface	RS232C
	Power Supply	AC 220V / 50-60 Hz
Dimension (LxWxH) mm	580 x 385 x 480	
Weight	13 Kg	

\* Density Determination Kit for Solid & Liquid Sample (Optional)

Antivibration table must for Semi Micro Balance (MAB250)

-  Electro Magnetic Force Compensation
-  Statistic Weighing
-  Animal Weighing
-  Check Weighing
-  White Back Light LCD display
-  Percentage Weighing
-  Multiple Weighing Units
-  Density Determination Function
-  RS232C Interface
-  Counting Weighing mode
-  Temperature
-  Underhook Weighing
-  Calibration with Internal weight
-  Time

### Standard Accessories

- Instrument
- Pan
- Pan support
- Draft ring
- Dust guard
- Cleaning cloth
- Power Cord
- User manual



## Disclaimer

---

The Products details given on this page are indicative in nature and JAPSON reserves the right to change them without prior notice. Buyer is also requested to re-check the specifications and other features of product at the time of order as product development is a continuous process and minor modifications may be made to design based on latest availability, process and design.