



Address:
JAMBU PERSHAD & SONS
6275/22 Nicholson Road,
Ambala Cantt, Haryana,
INDIA
Pin: 133001

Email:
sales@japson.com
japsonambala@yahoo.com

Website:
www.japson.com
Phone:
+91-171-4006897

Volumetric Flask

Product Image



Description

Material:-Borosilicate Glass

A type With interchangeable Plastic Stopper (Class B)

B type With interchangeable Plastic Stopper (Class A)

C type With Interchangeable Glass Stopper (Class B)

D type With Interchangeable Glass Stopper (Class A)

**A type: With
interchangeable Plastic
Stopper (Class B)**

Catalog No.	Capacity (ml)	Stopper Size
JG12201	5	10/15
JG12202	10	10/15
JG12203	25	10/15
JG12204	50	10/15
JG12205	100	14/15
JG12206	200	14/15
JG12207	250	14/15
JG12208	500	19/20
JG12209	1000	19/20
JG12210	2000	24/25

**B type: With
interchangeable Plastic
Stopper (Class A)**

Catalog No.	Capacity (ml)	Stopper Size
JG12301	5	10/15
JG12302	10	10/15
JG12303	25	10/15
JG12304	50	10/15
JG12305	100	14/15

JG12306	200	14/15
JG12307	250	14/15
JG12308	500	19/20
JG12309	1000	19/20
JG12310	2000	24/25

C type: With Interchangeable Glass Stopper (Class B)

Catalog No.	Capacity (ml)	Stopper Size
JG12401	5	10/15
JG12402	10	10/15
JG12403	25	10/15
JG12404	50	10/15
JG12405	100	14/15
JG12406	200	14/15
JG12407	250	14/15
JG12408	500	19/20
JG12409	1000	19/20
JG12410	2000	24/25

D type: With Interchangeable Glass Stopper (Class A)

Catalog No.	Capacity (ml)	Stopper Size
JG12501	5	10/15
JG12502	10	10/15

JG12503	25	10/15
JG12504	50	10/15
JG12505	100	14/15
JG12506	200	14/15
JG12507	250	14/15
JG12508	500	19/20
JG12509	1000	19/20
JG12510	2000	24/25

Note: Available in white, amber or blue coloured marking. Please specify at the time of quotation/order.

Note: Available with Individual or Lot Certificate on demand

Disclaimer

The Products details given on this page are indicative in nature and JAPSON reserves the right to change them without prior notice. Buyer is also requested to re-check the specifications and other features of product at the time of order as product development is a continuous process and minor modifications may be made to design based on latest availability, process and design.